

WEST Search History for Application 10674577

Creation Date: 2008070820:16

Query	DB	Op.	Plur.	Thes.	Date
snmp near request with (invalid or verif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
snmp near request same (invalid or verif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(match\$3 with (attribute or mib or value or managed near information\$2 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
snmp and ((match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(mib or managed near information\$2 near object) and (snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
@pd<20030929 and ((mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB,	OR			07-08-2008

	DWPI, TDBD				
managed adj information adj object and (@pd<20030929 and (mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
managed adj information adj base and (@pd<20030929 and (mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
match\$3 with (username or password)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
snmp and (match\$3 with (username or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(mib or managed near information\$2 near base) and (snmp and match\$3 with (username or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((valid\$5 or veri\$7) near (snmp or managed adj information adj object or mib near object)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((valid\$5 or veri\$7) and (snmp near object or managed adj information adj object or mib near object)).ab,ti.	PGPB, USPT,	OR			07-08-2008

	USOC, EPAB, JPAB, DWPI, TDBD			
((valid\$5 or verif\$7 or \$4correct) near (attribute or password)) and ((managed adj information adj object or mib near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
telnet with ((valid\$5 or verif\$7 or \$4correct) near (attribute or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
telnet and ((valid\$5 or verif\$7 or \$4correct) near (attribute or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
management near (station or computer or application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
((valid\$5 or verif\$7 or \$4correct) near (attribute or password)) and (management near (station or computer or application))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
(snmp near object or managed adj information adj object or mib near object) and (((valid\$5 or verif\$7 or \$4correct) near (attribute or password)) and management near (station or computer or application))	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR		07-08-2008

	TDBD				
(poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(management near (station or computer or application)) and ((poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(snmp near object or managed adj information adj object or mib near object) and (management near (station or computer or application) and (poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
20050251569	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
notif\$7 with index	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(snmp or mib near object or (get near (message or request))) and (notif\$7 with index)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(manag\$6 near information near base or mib near object) with (password or username or user near credential or security near (data or information))	PGPB, USPT, USOC,	OR			07-08-2008

	EPAB, JPAB, DWPI, TDBD				
(manag\$6 near information near base or mib near object) same (password or username or user near credential)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(manag\$6 near information near base or mib near object) same (acl or access adj control adj list)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((snmp or get) near (request or message or call)) with (match\$3 or determin\$5 or compar\$4)) same (value or (mib or snmp) near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
@pd<20030929 and (((snmp or get) near (request or message or call)) with (match\$3 or determin\$5 or compar\$4)) same (value or ((mib or snmp) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008

@pd<20030929 and (((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
snmp and (@pd<20030929 and (((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object)))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
SNMP near (Get near Response) with notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
SNMP near (Get near Response) samenotif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(SNMP near (Get near Response) samenotif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((SNMP or Get) near Response) same notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
snmp and (((SNMP or Get) near Response) same notif\$7)	PGPB, USPT, USOC, EPAB,	OR			07-08-2008

	JPAB, DWPI, TDBD				
((SNMP or Get) near Response) same (password or credential or username or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
@pd<20030929 and (((SNMP or Get) near Response) same (password or credential or username or security))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((password or credential or username or security) near (((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((look\$1up or search\$3 or find\$3 or determin\$5) near (password or credential or username or security)) same ((mib or snmp or managed) near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
index with notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
		OR			07-08-2008

((snmp or get) near (request or message or call)) or getnext or getbulk and (index with notif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((snmp or get) near (request or message or call)) or getnext or getbulk and (index with notif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((mib or snmp or managed) near object) near (value or attribute)) same (password or credential or username or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((mib or snmp or managed) near object) near2 (password or credential or username or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
57375718.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
5737518.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((determin\$3 or compar\$4) near (attribute or filed or value)) with ((match\$3 or correspond\$3) near managed adj object)	PGPB, USPT, USOC, EPAB,	OR			07-08-2008

	JPAB, DWPI, TDBD				
(attribute or field or value) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(username or password or security) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(username or password or security) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((determin\$3 or compar\$4) near (username or password or security) near (attribute or field or value))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
managed adj object and ((determin\$3 or compar\$4) near (username or password or security) near (attribute or field or value))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
management near request and (username or password or security) near (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
		OR			07-08-2008

management near request and (attribute or field or value) near (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
manag\$5 adj object and (username or password or security) near (attribute or field or value)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((determin\$3 or compar\$4 or match\$3) near (attribute or field or value))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(manag\$5 adj object and (username or password or security) near (attribute or field or value)) and (((determin\$3 or compar\$4 or match\$3) near (attribute or field or value)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
@pd<20030929 and (manag\$5 adj object and (username or password or security) near (attribute or field or value) and ((determin\$3 or compar\$4 or match\$3) near (attribute or field or value)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
mib and (username or password or security) near (attribute or field or value)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
@pd<20030929 and (mib and (username or password or security) near (attribute or field or value))	PGPB, USPT, USOC, EPAB,	OR			07-08-2008

	JPAB, DWPI, TDBD				
6085237.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
get\$1next and get\$1bulk	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((valid\$5 or verif\$6) near (attribute or field or password or username))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
snmp near object and (((valid\$5 or verif\$6) near (attribute or field or password or username)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(get\$1next or get\$1bulk) and (((valid\$5 or verif\$6) near (attribute or field or password or username)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
'5497373'.pn.	USPT	OR			07-08-2008
'5491796'.pn.	USPT	OR			07-08-2008
'5434863'.pn.	USPT	OR			07-08-2008
'5432932'.pn.	USPT	OR			07-08-2008
'5317742'.pn.	USPT	OR			07-08-2008

KOUNDEDE!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			07-08-2008
PUTTV!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			07-08-2008
PUTTU!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			07-08-2008
((managed adj device or management adj station) with (notif\$7 near (message or request)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((compar\$4 or match\$3 or determin\$3) near (error or fail\$3 or fault or problem)) with (managed adj device or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((compar\$4 or match\$3 or determin\$3) near (security or verif\$6 or password or username)) with (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(security or verif\$6 or password or username) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB,	OR			07-08-2008

	JPAB, DWPI, TDBD				
propos\$3 near value with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(correct or propos\$3) near value with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
'5561798'.pn.	USPT	OR			07-08-2008
'5559958'.pn.	USPT	OR			07-08-2008
'5559958'.pn.	USPT	OR			07-08-2008
(username and password) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(username and password) with (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(authenticate) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((attribute or username or password) near (telnet or ssh or tftp or rcp or snmp or tacacs radius))	PGPB, USPT, USOC,	OR			07-08-2008

	EPAB, JPAB, DWPI, TDBD			
snmp adj object and (((attribute or username or password) near (telnet or ssh or tftp or rcv or snmp or tacacs radius)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
snmp adj object and (telnet and ssh and tftp and rcv and snmp and tacacs and radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
(telnet and ssh and tftp and rcv and snmp and tacacs and radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
varbind near request	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		07-08-2008
'6671722'.pn.	USPT	OR		07-08-2008
'6631406'.pn.	USPT	OR		07-08-2008
'6631406'.pn.	USPT	OR		07-08-2008
'6631406'.pn.	USPT	OR		07-08-2008
'6539540'.pn.	USPT	OR		07-08-2008
'6539540'.pn.	USPT	OR		07-08-2008
(snmp near (version or v\$1) near (1 or 2 or 3))	PGPB, USPT, USOC, EPAB, JPAB,	OR		07-08-2008

	DWPI, TDBD				
snmp near (request or message) and ((snmp near (version or v\$1) near (1 or 2 or 3)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
'20030061480'.pn.	PGPB	OR			07-08-2008
'20020099273'.pn.	PGPB	OR			07-08-2008
'6944183'.pn.	USPT	OR			07-08-2008
'6785728'.pn.	USPT	OR			07-08-2008
'6772226'.pn.	USPT	OR			07-08-2008
'6765900'.pn.	USPT	OR			07-08-2008
verif\$6 near snmp near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
verif\$6 with snmp near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(ssh or tftp or rep or snmp or tacacs or radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(ssh or tftp or rep or tacacs or radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008

snmp near object and ((ssh or tftp or rcv or tacacs or radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
get\$bulk and (snmp near object and (ssh or tftp or rcv or tacacs or radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(security or authenticat\$3) and (snmp near object and (ssh or tftp or rcv or tacacs or radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
@pd<20030929 and ((security or authenticat\$3) and snmp near object and (ssh or tftp or rcv or tacacs or radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls.	PGPB, USPT, USOC, EPAB,	OR			07-08-2008

	JPAB, DWPI, TDBD				
(719/311).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(726/23 726/24 726/25 726/26 726/27).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls.) or ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls.) or ((713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls.) or ((719/311).ccls.) or ((726/23 726/24 726/25 726/26 726/27).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
varbind and ((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls. or (713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls. or (719/311).ccls. or (726/23 726/24 726/25 726/26 726/27).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
snnip near (object or mib) and ((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls. or (713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls. or (719/311).ccls. or (726/23 726/24 726/25 726/26 726/27).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008

1726/27).ccls.)					
(determin\$3 or match\$3 or compar\$5) near(attribute or field or password or username)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(snmp near (object or mib) and (707/1 1707/2 1707/3 1707/4 1707/5 1707/6 1707/7 1707/8 1707/9 1707/10 1707/100 1707/101 1707/102 1707/103R 1707/103Y 1707/103X 1707/103Z 1707/104.1).ccls. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219 1709/223 1709/224 1709/225 1709/226).ccls. or (713/164 1713/165 1713/166 1713/167 1713/168 1713/169 1713/170 1713/171 1713/172 1713/173 1713/174 1713/175 1713/176 1713/177 1713/178 1713/179).ccls. or (719/311).ccls. or (726/23 1726/24 1726/25 1726/26 1726/27).ccls.) and ((determin\$3 or match\$3 or compar\$5) near(attribute or field or password or username))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
6757901.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
management near (query or request) same ((compar\$4 or test\$3 or determin\$3) near (error or correct\$4 or fail\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
management near (query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB, USPT, USOC, EPAB, JPAB,	OR			07-08-2008

	DWPI, TDBD				
((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
@pd<20030929 and (((error or correct\$4 or fail\$3) near (manag\$6 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
snmp and ((manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008
(username or password) and (snmp and (manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-08-2008